

MySQL Database

CUSTOMER

<u>CustomerID</u>	FirstName	LastName	Phone	EmailAddress
100	Nikki	Kaccaton	723-543-1233	Nikki.Kaccaton@aomewhere.com
105	Brenda	Catnazaro	723-543-2344	Brenda.Catnazaro@somewhere.com

CustomerID: Integer, FirstName: Char(25), LastName: Char(25), Phone: Char(12), EmailAddress: Char(100)

SERVICE

<u>ServiceID</u>	ServiceDescription	UnitPrice
11	Dress Shirt	1.50
30	Skirt	5.00

ServiceID: Integer, ServiceDescription: Char(50), UnitPrice: Numeric(8,2) #####.##

INVOICE

<u>InvoiceNumber</u>	CustomerID	DateIn	DateOut	Subtotal	Tax	TotalAmount
Integer	Integer	Date	Date	#####.##	#####.##	#####.##
2017001	100	'2017-10-04'	'2017-10-06'	158.50	12.52	171.02
2017005	125	'2017-10-07'	'2017-10-11'	12.00	0.95	12.95

InvoiceNumber: Integer, CustomerID: Integer, DateIn: Date, DateOut: Date, SubTotal Numeric(8,2) #####.##, Tax Numeric(8,2) #####.##, TotalAmount Numeric(8,2) #####.##

INVOICE_ITEM

<u>InvoiceNumber</u>	ItemNumber	ServiceID	Quantity	UnitPrice	ExtendedPrice
Integer	Integer	Integer	Integer	#####.##	#####.##
2017001	1	16	2	3.50	7.00
2017001	2	11	5	2.50	12.50
2017005	2	11	2	2.50	5.00

InvoiceNumber: Integer, ItemNumber: Integer, ServiceID: Integer, Quantity: Integer, UnitPrice: Numeric(8,2) #####.##, ExtendedPrice: Numeric(8,2) #####.##